

Revision Date 09-May-2016

Version 4.01

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name 9D9 Product code LG-F1001

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Professional Deodorizer Restrictions on use Professional Use Only

1.3 Details of the supplier of the safety data sheet

Supplier Legend Brands

ProRestore Products 15180 Josh Wilson Road Burlington, WA 98233

800-932-3030

1.4 Emergency telephone number

Emergency telephone number INFOTRAC 1-800-535-5053 (North America)

1-352-323-3500 (International)

2. Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910.1200

Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1
Carcinogenicity	Category 2
Flammable liquids	Category 3

2.2 Label elements

Signal Word

Warning

Hazard Statements

Causes serious eye irritation
May cause an allergic skin reaction
Suspected of causing cancer
Flammable liquid and vapor



Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/protective clothing/eye protection/face protection

Wash face, hands and any exposed skin thoroughly after handling

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing should not be allowed out of the workplace

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/Bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

In case of fire: Use CO2, dry chemical, or foam to extinguish

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

2.3. Other Hazards Hazards not otherwise classified (HNOC)

Not Applicable

2.4 Other information

Not Applicable

Unknown Acute Toxicity

1.10889006% of the mixture consists of ingredient(s) of unknown toxicity

3. Composition/Information on Ingredients

<u>Substance</u> Not applicable <u>Mixture</u>

Chemical Name	CAS-No	Weight %
Polyethylene glycol octylpheny ether	9036-19-5	20 - 30
Isopropyl alcohol	67-63-0	10 - 20
2,4-PENTANEDIOL, 2-METHYL-	107-41-5	1 - 5
Benzophenone	119-61-9	< 1
2,6-OCTADIENAL, 3,7-DIMETHYL-	5392-40-5	< 1

The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First aid measures

4.1 Description of first-aid measures

General advice Show this safety data sheet to the doctor in attendance. When symptoms persist or in all

cases of doubt seek medical advice.

Eye contact Remove contact lenses, if present. Rinse immediately with plenty of water, also under the

eyelids, for at least 15 minutes. Call a physician if irritation develops or persists.

Skin contact Wash off immediately with soap and plenty of water. Remove all contaminated clothes and

shoes. Use a mild soap if available. Call a physician if irritation develops or persists. If skin

irritation persists, call a physician.

Inhalation Immediate medical attention is required. Move to fresh air. If not breathing, give artificial

respiration.

Ingestion Gently wipe or rinse the inside of the mouth with water. Give small amounts of water to

drink. Never give anything by mouth to an unconscious person. Get medical attention

immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms See Section 2.2, Label Elements and/or Section 11, Toxicological effects.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician Treat symptomatically.

5. Fire-Fighting Measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray. Carbon dioxide (CO 2). Dry powder. Alcohol-resistant foam.

Unsuitable Extinguishing Media High volume water jet.

5.2 Special hazards arising from the substance or mixture

Special Hazard

Hazardous decomposition products formed under fire conditions Flash back possible over considerable distance

Hazardous Combustion Products No information available.

Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

5.3 Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Remove all sources of ignition. Ensure adequate ventilation, especially in confined areas. Avoid contact with skin, eyes and clothing. Do not breathe vapors or spray mist.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not allow material to contaminate ground water system. See Section 12 for additional Ecological information.

6.3 Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not

breathe vapors or spray mist. Vapors may form explosive mixtures with air. Prevent the creation of flammable or explosive concentrations of vapor in air and avoid vapor concentration higher than the occupational exposure limits. Mixture may charge

electrostatically: always use earthing leads when transferring from one container to another.

Keep away from sources of ignition - No smoking.

Hygiene measures When using, do not eat, drink or smoke. Wash hands before breaks and at the end of

workday. Remove and wash contaminated clothing before re-use.

7.2 Conditions for safe storage, including any incompatibilities

Storage ConditionsUse only in area provided with appropriate exhaust ventilation. Keep locked up or in an area

accessible only to qualified or authorized persons. Use only explosion-proof equipment. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Electrical equipment should be protected to the appropriate standard. Store between 41 and 77 °F (5 - 25° C) in a dry, well ventilated place away from sources of heat,

ignition and direct sunlight. Store in original container.

Materials to Avoid Strong oxidizing agents.

8. Exposure controls/personal protection

8.1 Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	British Columbia	Alberta	Quebec	Ontario TWAEV
Isopropyl alcohol	STEL: 400 ppm	TWA: 400 ppm	TWA: 200 ppm	TWA: 200 ppm	TWA: 400 ppm	TWA: 200 ppm
67-63-0	TWA: 200 ppm	TWA: 980 mg/m ³	STEL: 400 ppm	TWA: 492 mg/m ³	TWA: 985 mg/m ³	STEL: 400 ppm
				STEL: 400 ppm	STEL: 500 ppm	
				STEL: 984 mg/m ³	STEL: 1230 mg/m ³	
2,4-PENTANEDIOL,	Ceiling: 25 ppm	=	Ceiling: 25 ppm	Ceiling: 25 ppm	Ceiling: 25 ppm	CEV: 25 ppm
2-METHYL- 107-41-5				Ceiling: 121 mg/m ³	Ceiling: 121 mg/m ³	
2,6-OCTADIENAL,	TWA: 5 ppm	-				TWA: 5 ppm
3,7-DIMETHYL-	inhalable fraction					Skin
5392-40-5	and vapor					
	S*					

8.2 Appropriate engineering controls

Engineering Measures Ensure adequate ventilation, especially in confined areas.

8.3 Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety glasses with side-shields.

Skin and body protection Long sleeved clothing. Rubber or plastic apron.

Respiratory protection Respirator with a vapor filter (EN 141).

Hygiene measures See section 7 for more information

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Liquid

Appearance No information available

Color Amber

Odor Wintergreen oil

Odor Threshold No information available

Property Values Remarks • Methods

pH 7.7

Melting/freezing point No information available

Boiling point/boiling range 108 °C / 226 °F Flash Point 27 °C / 81 °F

Evaporation rate

No information available
Flammability (solid, gas)

No information available

Flammability Limits in Air

upper flammability limitNo information availablelower flammability limitNo information available

Vapor pressure 4.3

Vapor density

Specific Gravity .94

Water solubility Soluble in water

Solubility in other solventsNo information availablePartition coefficientNo information availableAutoignition temperatureNo information availableDecomposition temperatureNo information available

Viscosity, kinematic 33

Viscosity, dynamic No information available

Explosive propertiesNo information availableOxidizing PropertiesNo information available

9.2 Other information

Volatile organic compounds (VOC) 210 g/L

content

10. Stability and Reactivity

No information available

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions Risk of ignition

10.3 Possibility of hazardous reactions

None under normal processing.

10.4 Conditions to Avoid

Direct sources of heat.

10.5 Incompatible Materials

Strong oxidizing agents.

10.6 Hazardous Decomposition Products

Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

11. Toxicological information

11.1 Acute toxicity

Numerical measures of toxicity: Product Information

The following values are calculated based on chapter 3.1 of the GHS document

Unknown Acute Toxicity 1.10889006% of the mixture consists of ingredient(s) of unknown toxicity

Oral LD50 4,580.00 mg/kg **Dermal LD50** 43,701.00 mg/kg

Numerical measures of toxicity: Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Polyethylene glycol octylpheny ether 9036-19-5	1700 mg/kg (Rat)	-	-
Isopropyl alcohol 67-63-0	5840 mg/kg (Rat)	= 13,900 mg/kg (Rabbit)	= 72600 mg/m³ (Rat) 4 h
2,4-PENTANEDIOL, 2-METHYL- 107-41-5	3692 mg/kg (Rat)	-	> 310 mg/m³ (Rat) 1 h
Benzophenone 119-61-9	10 g/kg(Rat)	= 3535 mg/kg (Rabbit)	-
2,6-OCTADIENAL, 3,7-DIMETHYL- 5392-40-5	4950 mg/kg (Rat)	= 2250 mg/kg(Rabbit)	-

11.2 Information on toxicological effects

Skin corrosion/irritation

Product Information

No information available

Component Information

• No information available

Serious eye damage/eye irritation

Product Information

· No information available

Component Information

• No information available

Respiratory or skin sensitization

Product Information

• No information available

Component Information

· No information available

Germ cell mutagenicity

Product Information

No information available

Component Information

No information available

Carcinogenicity

Product Information

- The table below indicates whether each agency has listed any ingredient as a carcinogen Component Information
- · Contains a known or suspected carcinogen

Chemical Name	ACGIH	IARC	NTP	OSHA

Isopropyl alcohol 67-63-0	-	Group 3	-	
Benzophenone 119-61-9	-	Group 2B	-	

Reproductive toxicity

Product Information

- No information available
- <u>Component Information</u>
 No information available

STOT - single exposure

No information available

STOT - repeated exposure

No information available

Other adverse effects

Product Information

- No information available
- Component Information
- · No information available

Aspiration hazard

Product Information

- No information available
- **Component Information**
- · No information available

12. Ecological information

12.1 Toxicity

Ecotoxicity

No information available

41.09054 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Ecotoxicity effects

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Isopropyl alcohol 67-63-0	EC50: 96 h Desmodesmus subspicatus 1000 mg/L EC50: 72 h Desmodesmus subspicatus 1000 mg/L	LC50: 96 h Pimephales promelas 9640 mg/L flow-through LC50: 96 h Pimephales promelas 11130 mg/L static LC50: 96 h Lepomis macrochirus 1400000 µg/L	EC50: 48 h Daphnia magna 13299 mg/L
2,4-PENTANEDIOL, 2-METHYL- 107-41-5	-	LC50: 96 h Pimephales promelas 10500 - 11000 mg/L flow-through LC50: 96 h Lepomis macrochirus 10000 mg/L static LC50: 96 h Pimephales promelas 8690 mg/L flow-through LC50: 96 h Pimephales promelas 10700 mg/L static	EC50: 48 h Daphnia magna 2700 - 3700 mg/L
Benzophenone 119-61-9	-	LC50: 96 h Pimephales promelas 13.2 - 15.3 mg/L flow-through	-
2,6-OCTADIENAL, 3,7-DIMETHYL- 5392-40-5	EC50: 72 h Desmodesmus subspicatus 16 mg/L EC50: 96 h Desmodesmus subspicatus 19 mg/L	-	EC50: 48 h Daphnia magna 7 mg/L

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

Discharge into the environment must be avoided

Chemical Name	log Pow
Isopropyl alcohol 67-63-0	0.05
2,4-PENTANEDIOL, 2-METHYL- 107-41-5	0.14
Benzophenone 119-61-9	3.58
2,6-OCTADIENAL, 3,7-DIMETHYL- 5392-40-5	2.76

12.4 Mobility in soil

No information available.

12.5 Other adverse effects

No information available

13. Disposal Considerations

13.1 Waste treatment methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

14. Transport Information

DOT

UN/ID No 1993

Proper shipping name Flammable Liquid, N.O.S. (Isopropanol)

Hazard class 3 Packing Group III

<u>MEX</u>

IMDG

Proper shipping name Flammable Liquid, N.O.S. (Isopropanol)

Hazard class 3 UN 1993 Packing Group III

Marine pollutant This product contains a chemical which is listed as a marine pollutant according to

IMDG/IMO

<u>IATA</u>

UN 1993

Proper shipping name Flammable Liquid, N.O.S. (Isopropanol)

Hazard class 3
Packing Group III

15. Regulatory information

15.1 International Inventories

TSCA Complies
DSL Complies
EINECS/ELINCS Complies

09-May-2016 - LG-F1001 - 4.01 - AGHS - English -

ENCS IECSC Complies
KECL Complies
PICCS Complies
AICS Complies

NZIoC -

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

15.2 U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	SARA 313 - Threshold Values %
Isopropyl alcohol	1.0
67-63-0	

15.3 Pesticide Information

Not applicable

15.4 U.S. State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical Name	California Prop. 65
Benzophenone - 119-61-9	Carcinogen
1,4-DIOXANE - 123-91-1	Carcinogen

	1,1 = 1 = 1 = 1 = 1 = 1	
- 1	40.04	nformation
- 1		ntormation

NFPA Health Hazard 2* Flammability 3 Instability 0 Physical and chemical hazards *

HMIS Health Hazard 2* Flammability 3 Physical Hazard 0 Personal protection C

Legend:

ACGIH (American Conference of Governmental Industrial Hygienists)

Ceiling (C)

DOT (Department of Transportation)

EPA (Environmental Protection Agency)

IARC (International Agency for Research on Cancer)

International Air Transport Association (IATA)

International Maritime Dangerous Goods (IMDG)

NIOSH (National Institute for Occupational Safety and Health)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

PEL (Permissible Exposure Limit)

Reportable Quantity (RQ)

Skin designation (S*)

STEL (Short Term Exposure Limit)

TLV® (Threshold Limit Value)

09-May-2016

TWA (time-weighted average)

Revision Date

Revision Note
No information available

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet