SAFETY DATA SHEET



Revision Date 11-Mar-2016 Version 1.03

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name Urine Contamination Treatment

Product code W.20027

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Professional Carpet Cleaning Restrictions on use Professional Use Only

1.3 Details of the supplier of the safety data sheet

Supplier Legend Brands

Chemspec

15180 Josh Wilson Road Burlington, WA 98233 800-932-3030

msds@chemspecworld.com

1.4 Emergency telephone number

Emergency telephone number INFOTRAC 1-800-535-5053 (North America)

1-352-323-3500 (International)

2. Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910.1200

Serious eye damage/eye irritation Category 2

2.2 Label elements

E-mail Address

Signal Word

Warning

Hazard Statements

Causes serious eye irritation



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling

Wear eye protection/ face protection

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

2.3. Other Hazards Hazards not otherwise classified (HNOC)

Not Applicable

2.4 Other information

Not Applicable

Unknown Acute Toxicity

< 1% of the mixture consists of ingredient(s) of unknown toxicity

3. Composition/Information on Ingredients

Substance

<u>Mixture</u>

| Chemical Name | CAS-No | Weight % |
|---------------------------------|------------|----------|
| Ethylene glycol monobutyl ether | 111-76-2 | 5 - 10 |
| Propylene glycol | 57-55-6 | 1 - 5 |
| DIPROPYLENE GLYCOL BUTYL ETHER | 29911-28-2 | 1 - 5 |
| 2-(2-BUTOXYETHOXY)ETHANOL | 112-34-5 | 1 - 5 |

The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First aid measures

4.1 Description of first-aid measures

General advice Show this safety data sheet to the doctor in attendance. If symptoms persist, call a

physician.

Eye contact Remove contact lenses, if present. Rinse thoroughly with plenty of water for at least 15

minutes and consult a physician. Immediately flush with plenty of water. After initial

flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye

wide open while rinsing. If symptoms persist, call a physician.

Skin contact Wash off immediately with soap and plenty of water. Remove all contaminated clothes and

shoes. Immediate medical attention is not required. If skin irritation persists, call a

physician.

Inhalation Move to fresh air. Immediate medical attention is not required. If symptoms persist, call a

physician. Move to fresh air in case of accidental inhalation of vapors or decomposition

products.

Ingestion Gently wipe or rinse the inside of the mouth with water. Clean mouth with water and drink

afterwards plenty of water. Never give anything by mouth to an unconscious person.

Consult a physician. Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms See Section 2.2, Label Elements and/or Section 11, Toxicological effects.

4.3 Indication of any immediate medical attention and special treatment needed

11-Mar-2016 - W.20027 - 1.03 - AGHS - English - Page 2/9

Notes to physician Treat symptomatically.

5. Fire-Fighting Measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray. Foam. Dry powder. Use:. Dry chemical. Carbon dioxide (CO₂). Alcohol-resistant foam.

Unsuitable Extinguishing Media None.

5.2 Special hazards arising from the substance or mixture

Special Hazard

Hazardous decomposition products formed under fire conditions Contact with water liberates toxic gas Risk of ignition

Hazardous Combustion Products No information available.

Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge

5.3 Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Remove all sources of ignition. Evacuate personnel to safe areas, Keep people away from and upwind of spill/leak. Pay attention to flashback. Take precautionary measures against static discharges.

6.2 Environmental precautions

Dike to collect large liquid spills. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. See Section 12 for additional Ecological information.

6.3 Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth,

diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13). Soak up with inert absorbent material. Dam up. Pick up and transfer to properly labeled containers. Take precautionary measures against static

discharges.

7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling Wear personal protective equipment. Use only in area provided with appropriate exhaust

> ventilation. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Keep away from heat, sparks and open flame. No smoking. Do not breathe vapors or spray mist. Take necessary action to avoid static electricity

discharge (which might cause ignition of organic vapors).

When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area Hygiene measures

and clothing.

7.2 Conditions for safe storage, including any incompatibilities

and cool place. Keep away from heat and sources of ignition. Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat. Keep in properly labeled containers.

Materials to Avoid Strong oxidizing agents.

8. Exposure controls/personal protection

8.1 Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | British Columbia | Alberta | Quebec | Ontario TWAEV |
|--|--|---|------------------|--|------------------------------|--|
| Ethylene glycol monobutyl ether 111-76-2 | TWA: 20 ppm | TWA: 50 ppm TWA: 240 mg/m ³ S* | TWA: 20 ppm | TWA: 20 ppm TWA: 97 mg/m ³ | TWA: 20 ppm TWA: 97 mg/m³ | TWA: 20 ppm |
| Propylene glycol 57-55-6 | - | - | | | | TWA: 10 mg/m ³ TWA: 50 ppm TWA: 155 mg/m ³ |
| 2-(2-BUTOXYETHOX Y)ETHANOL 112-34-5 | TWA: 10 ppm inhalable fraction and vapor | - | | | | |

8.2 Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems.

8.3 Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety glasses with side-shields.

Skin and body protection Long sleeved clothing. Chemical resistant apron. Antistatic boots. Impervious gloves.

Respiratory protection In case of inadequate ventilation wear respiratory protection.

Hygiene measures See section 7 for more information

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state
Appearance
Color
Godor
Codor
Codo

Odor Threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Methods</u>

pH 6.9

Melting/freezing point

No information available

Boiling point/boiling range No information available

Flash Point > 94 °C / > 201 °F

Evaporation rateNo information availableFlammability (solid, gas)No information available

Flammability Limits in Air

upper flammability limitNo information availablelower flammability limitNo information availableVapor pressureNo information availableVapor densityNo information available

Specific Gravity

Water solubilityNo information availableSolubility in other solventsNo information availablePartition coefficientNo information availableAutoignition temperatureNo information availableDecomposition temperatureNo information availableViscosity, kinematicNo information availableViscosity, dynamicNo information available

Explosive properties

No information available
Oxidizing Properties

No information available

9.2 Other information

Volatile organic compounds (VOC) 16%

content

10. Stability and Reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions

10.3 Possibility of hazardous reactions

None under normal processing.

10.4 Conditions to Avoid

Direct sources of heat. Heat, flames and sparks.

10.5 Incompatible Materials

Strong oxidizing agents.

10.6 Hazardous Decomposition Products

Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

11. Toxicological information

11.1 Acute toxicity

Numerical measures of toxicity: Product Information

The following values are calculated based on chapter 3.1 of the GHS document

Unknown Acute Toxicity < 1% of the mixture consists of ingredient(s) of unknown toxicity

 Oral LD50
 4,483.00 mg/kg

 Dermal LD50
 16,220.00 mg/kg

 LC50 (Dust/Mist)
 75.00 mg/l

 LC50 (Vapor)
 122.00 mg/l

Numerical measures of toxicity: Component Information

| Chemical Name | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|---|-------------------|--------------------------|---------------------|
| Ethylene glycol monobutyl ether 111-76-2 | 470 mg/kg (Rat) | = 2000 mg/kg (Rabbit) | = 450 ppm (Rat) 4 h |
| Propylene glycol 57-55-6 | 20000 mg/kg (Rat) | = 20800 mg/kg (Rabbit) | - |
| DIPROPYLENE GLYCOL BUTYL ETHER 29911-28-2 | - | - | = 42.1 ppm(Rat)4 h |
| 2-(2-BUTOXYETHOXY)ETHANOL 112-34-5 | 3384 mg/kg (Rat) | = 2700 mg/kg (Rabbit) | - |

11.2 Information on toxicological effects

Skin corrosion/irritation

Product Information

- · No information available
- Component Information
- No information available

Eye damage/irritation

Product Information

- No information available
- **Component Information**
- · No information available

Respiratory or skin sensitization

Product Information

- · No information available
- Component Information
- No information available

Germ cell mutagenicity

Product Information

- No information available
- **Component Information**
- · No information available

Carcinogenicity

Product Information

- No information available
- Component Information
- No information available

Reproductive toxicity

Product Information

- No information available
- **Component Information**
- No information available

STOT - single exposure

No information available

STOT - repeated exposure

· May cause adverse liver effects

Other adverse effects

Product Information

- No information available
- Component Information
- · No information available

Aspiration hazard

Product Information

- No information available
- Component Information
- No information available

12. Ecological information

12.1 Toxicity

Ecotoxicity

No information available

5.00001 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Ecotoxicity effects

| Chemical Name | Toxicity to algae | Toxicity to fish | Toxicity to daphnia and other aquatic invertebrates |
|---|--|--|---|
| Ethylene glycol monobutyl ether 111-76-2 | - | LC50: 96 h Lepomis macrochirus 1490 mg/L static LC50: 96 h Lepomis macrochirus 2950 mg/L | EC50: 48 h Daphnia magna 1000 mg/L |
| Propylene glycol 57-55-6 | EC50: 96 h Pseudokirchneriella subcapitata 19000 mg/L | LC50: 96 h Oncorhynchus mykiss 51600 mg/L static LC50: 96 h Oncorhynchus mykiss 41 - 47 mL/L static LC50: 96 h Pimephales promelas 51400 mg/L static LC50: 96 h Pimephales promelas 710 mg/L | EC50: 48 h Daphnia magna 1000 mg/L Static |
| DIPROPYLENE GLYCOL BUTYL ETHER 29911-28-2 | - | LC50: 96 h Poecilia reticulata 841 mg/L static | - |
| 2-(2-BUTOXYETHOXY)ETHANOL 112-34-5 | EC50: 96 h Desmodesmus subspicatus 100 mg/L | LC50: 96 h Lepomis macrochirus 1300 mg/L static | EC50: 48 h Daphnia magna 100 mg/L |

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

Discharge into the environment must be avoided

| Chemical Name | log Pow |
|---------------------------------|---------|
| Ethylene glycol monobutyl ether | 0.81 |
| 111-76-2 | |

12.4 Mobility in soil

No information available.

12.5 Other adverse effects

No information available

13. Disposal Considerations

13.1 Waste treatment methods

Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. Transport Information

DOTNot regulatedMEXNot regulatedIMDGNot regulatedIATANot regulated

15. Regulatory information

15.1 International Inventories

TSCA Complies Complies DSL Complies **EINECS/ELINCS ENCS** Complies **IECSC** Complies **KECL** Complies **PICCS** Complies Complies **AICS** Complies **NZIoC**

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

15.2 U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

| Chemical Name | SARA 313 - Threshold Values % |
|--|-------------------------------|
| Ethylene glycol monobutyl ether 111-76-2 | 1.0 |
| 2-(2-BUTOXYETHOXY)ETHANOL 112-34-5 | 1.0 |

15.3 Pesticide Information

Not applicable

15.4 U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

16. Other information

NFPA Health Hazard 2 Flammability 0 Instability 0 Physical and chemical

hazards -

HMIS Health Hazard 2 Flammability 0 Physical Hazard 0 Personal protection X

Legend:

ACGIH (American Conference of Governmental Industrial Hygienists)

Ceiling (C)

DOT (Department of Transportation)

EPA (Environmental Protection Agency)

IARC (International Agency for Research on Cancer)

International Air Transport Association (IATA)

International Maritime Dangerous Goods (IMDG)

NIOSH (National Institute for Occupational Safety and Health)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

PEL (Permissible Exposure Limit)

Reportable Quantity (RQ)

Skin designation (S*)

STEL (Short Term Exposure Limit)

TLV® (Threshold Limit Value)

TWA (time-weighted average)

Prepared By Chemspec Regulatory Affairs/Product Safety

Revision Date 11-Mar-2016

Revision Note

No information available

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet

11-Mar-2016 - W.20027 - 1.03 - AGHS - English -